

CERTIFICATE OF ANALYSIS

Order Type: Medical Cannabis

Customer ID: 32

Harvest/Extract Lot: GP2121357
3.30.19

Order ID: OR2019-685

Customer Name: CBD Plus USA

Harvest/Extract Batch: None

Cultivar (Strain): FS Cherry Almond
(500mg)

Lab ID: SA2019-2523

Sample Matrix: Oil/Tincture

Sample Date: 03/18/2019

Date Received: 03/18/2019

Date Completed: 03/19/2019

Remarks:

CANNABINOID (POTENCY) PROFILE

Analysis Date/Time: 03/19/2019 1053

Method: HPLC/DAD (Internal Method-001)

Moisture Content (%): -

Analyst: OL

Instrument: Agilent 1100

Water Activity (aw): -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/mL)</u>	<u>Reporting Limit (mg/mL)</u>	<u>Per Unit (mg)</u>
CBD	1.67	16.7	0.0025	500
CBDa	-	-	0.0025	-
CBDv	-	-	0.0025	-
Δ9-THC	0.141	1.41	0.0025	42
Δ8-THC	-	-	0.0025	-
THCa	-	-	0.0025	-
THCv	-	-	0.0025	-
CBC	0.285	2.85	0.0025	85
CBG	0.0548	0.548	0.0025	16
CBGa	-	-	0.0025	-
CBN	-	-	0.0025	-




TOTAL	2.15	21.5		644
TOTAL THC	0.141	1.41		42
TOTAL CBD	1.67	16.7		500

UNIT VOLUME (mL): 30

"-" Not detected above RL.

Cannabinoid Distribution
(% of Total Cannabinoids)



Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total THC = (THCa x 0.877) + Δ9-THC
Total CBD = (CBDa x 0.877) + CBD

Percentage results are reported by mass.
mg/g results are reported as mass component per mass material.

Abbreviations: UV - Ultraviolet, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or reported by the LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director